

Textile Processing Compound**Let You LEAD The Process**E-mail : contact@nestorindustries.com

**Nestosil XT
Plus**

Hydrophilic
Silicone Softner

Hydrophilic Silicon Softener for Bounciness with soft surface

Features	<ul style="list-style-type: none">✓ Imparts excellent surface softness to fabrics.✓ Improves hydrophilicity of fabric.✓ Along with synthetic resin finishes improves the properties of goods.✓ Does not affect the brightness of dyed shades.✓ Produces finish effects that are fast to washing and dry cleaning.
-----------------	---

Type	Non ionic
Constitution	Proprietary blend of organic compound and siloxane.
Appearance	Clear Translucent Solution
pH	5.5 – 6.5
Solubility	Readily soluble in water.
Storage	Stable under normal conditions.

Application

(1) Padding on all types of fibres ;

Nestosil XT Plus - 2 to 5 gpl

pH—5

Pad : 65 – 85 % pick up

Pad-dry-cure at 130 Deg.C.

(2) Exhaust method ;

Nestosil XT Plus - 1- 2 % O. W. F.

at pH 4.5 – 5.5

for 25 -30 mins. At 30 – 40 Deg. C

The product appearance varies from batch to batch. The colour & viscosity may vary from batch to batch and its intensity is not an indication of product strength.

NONWARRANTY: The suggestions and data in this bulletin are based on information we believe to be reliable. They are offered in good faith but without guarantee, as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on an experimental basis before adopting them on a commercial scale.

Head Office Address: Plot No – 538, GIDC, Pandesara, Surat – 394221

Contact No. - +91 8306083020, +91 9377781836 || Website : www.nestorindustries.com